

(11) **EP 1 352 644 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
15.10.2003 Bulletin 2003/42

(51) Int Cl.⁷: **A61K 7/50**, C11D 1/94,
C11D 3/37, C11D 3/22

(21) Application number: 03007353.0

(22) Date of filing: 01.04.2003

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
 HU IE IT LI LU MC NL PT SE SI SK TR**
 Designated Extension States:
AL LT LV MK RO

(72) Inventors:

- Inoue, Masaki
Wakayama-shi, Wakayama 640-8580 (JP)
- Tamura, Yoshinori
Wakayama-shi, Wakayama 640-8580 (JP)
- Kaneko, Youhei
Wakayama-shi, Wakayama 640-8580 (JP)

(30) Priority: 12.04.2002 JP 2002110975
04.10.2002 JP 2002292354



(71) Applicant: **Kao Corporation**
Tokyo 103-8210 (JP)

**(74) Representative: HOFFMANN - EITLE
Patent- und Rechtsanwälte
Arabellastrasse 4
81925 München (DE)**

(54) **Detergent composition**

(57) Provided is a detergent composition comprising the following components (A), (B) and (C):

(A) a phosphate surfactant containing, as a mixture, (a₁) a phosphate monoester of the formula (1) and (a₂) a phosphate diester of the formula (2):




at an (a₁)/(a₂) weight ratio ranging from 85/15 to 50/50,

(B) a polyoxyethylene alkyl ether sulfate or alkyl sulfate represented by the formula (3):




and

(C) one or more compounds selected from sulfobetaines represented by the formula (4):



and alkylamide propyl betaines represented by the formula (5):




The detergent composition has low irritation to the skin, is excellent in foaming power, provides creamy foam, gives the skin or the like a good feeling after washing, is excellent in low temperature stability and permits easy mixing during preparation.

(wherein, R¹, R² and R³ each represents a linear or branched C₈₋₁₈ alkyl or alkenyl group, X¹, X² and Y each represents a hydrogen atom, an alkali metal atom, an alkaline earth metal atom, an alkanolamine or ammonium, and average molar numbers k, m and n each stands for a number of from 0 to 10) at a (a₁)/(a₂) weight ratio of 85/15 to 50/50,


(B) a polyoxyethylene alkyl ether sulfate or alkyl sulfate represented by the following formula (3):



(wherein, R⁴ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group, an average molar number t stands for a number of from 0 to 5 and M represents an alkali metal atom, alkanolamine or ammonium), and (C) one or more compounds selected from sulfobetaines represented by the following formula (4):



(wherein, R⁵ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group, R⁶ represents a hydrogen atom or a C₁₋₄ alkyl group, R⁷ and R⁸ each represents a C₁₋₄ alkyl group, p stands for a number of from 0 to 1, q stands for a number of from 0 to 6 and Z represents a hydrogen atom or a hydroxyl group), and alkylamide propyl betaines represented by the following formula (5):



(wherein, R⁹ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group).

Best Mode for Carrying Out the Invention

[0010] In the phosphate of the formula (1) or (2) which is a less irritative base to be used in the present invention as Component (A), a C₁₀₋₁₆, especially C₁₂₋₁₄ alkyl group is preferred as each of R¹, R² and R³, while an alkali metal atom such as potassium or sodium, or triethanolamine is preferred as each of X¹, X² and Y, with potassium being especially preferred from the viewpoint of solubility in water. The average molar numbers of ethylene oxide k, m and n are preferably 0 to 4 from the viewpoint of foaming power, with 0 to 2 being particularly preferred.

[0011] The (a₁)/(a₂) weight ratio of the alkyl phosphate monoester (a₁) and alkyl phosphate diester (a₂) contained in the Component (A) ranges from 85/15 to 50/50, preferably from 80/20 to 70/30 from the viewpoint of ease of mixing. When the content of the alkyl phosphate monoester (a₁) is lower than 50 wt.%, the foamability becomes poor. When its content exceeds 85 wt.%, on the other hand, the melting point of the alkyl phosphate mixture increases, which disturbs smooth mixing.

[0012] The content of the phosphate surfactant serving as Component (A) is preferably 5 to 40 wt.%, more preferably from 8 to 30 wt.%, particularly preferably 10 to 30 wt.% of the detergent composition in view of the foaming property, detergency and ease of mixing.

[0013] In the polyoxyethylene alkyl ether sulfate or alkyl sulfate of the formula (3) serving as Component (B), R⁴ is preferably a C₁₀₋₁₆ alkyl group, more preferably a C₁₂₋₁₄ alkyl group and particularly preferably a C₁₂ alkyl group from the viewpoint of the foaming power; the average molar number t is preferably 0.1 to 5, more preferably 0.5 to 5, still more preferably from 1 to 4, especially preferably from 2 to 3 from the viewpoints of low irritation and foaming power; and as M, preferred is an alkali metal, especially potassium or sodium, or triethanolamine from the viewpoints of foaming power and production cost.

[0014] The content of Component (B) in the detergent composition is preferably from 1 to 40 wt.%, more preferably from 2 to 30 wt.%, especially preferably from 3 to 10 wt.% in view of improving the foam quality of the detergent

composition to creamy and in view of feeling after washing (improvement in the feel after use).

[0015] In the detergent composition of the present invention, the preferable contents of Component (A) and Component (B) are as described above. Moreover, in view of the detergency, foamability, foam quality, feeling after washing and irritation to the skin, a mixing ratio of Component (A) to Component (B) is preferably 95/50 to 50/50 by weight, with a weight ratio of 90/10 to 70/30 being particularly preferred.

[0016] In the sulfobetaine of the formula (4) serving as Component (C), it is preferred that R⁵ represents a C₈₋₁₈ alkyl group, R⁶ represents a hydrogen atom or an ethyl group, R⁷ and R⁸ each represents a methyl or ethyl group, p and q stand for 0 to 1 and 0 to 4, respectively, and Z represents a hydroxyl group.

[0017] Preferred examples of the sulfobetaine as Component (C) include alkylaminopropyl sulfobetaines, alkylhydroxy sulfobetaines, amide hydroxy sulfobetaines, and amide propyl sulfobetaines, of which lauryl dimethyl hydroxy sulfobetaine, myristyl dimethyl hydroxy sulfobetaine, N,N-dimethyl lauramide propyl-2-hydroxy sulfobetaine, and N,N-dimethyl cocamide propyl-2-hydroxy sulfobetaine are particularly preferred. Among these, lauryl dimethyl hydroxy sulfobetaine and myristyl dimethyl hydroxy sulfobetaine are most preferred.

[0018] In the alkylamide propyl betaine of the formula (5), R⁹ preferably represents a C₈₋₁₈ alkyl group. Preferred examples of the alkylamide propyl betaine as Component (C) include lauramide propyl betaine and cocamide propyl betaine.

[0019] Component (C) may be one of the above-described betaines or a mixture of at least two of these betaines. The content of Component (C) is preferably from 0.1 to 20 wt.%, more preferably from 2 to 15 wt.%, particularly preferably from 2 to 10 wt.% based on the detergent composition of the present invention from the standpoints of improvements in foamability and low temperature stability.

[0020] The weight ratio of the sum of Components (A) and (B) to Component (C), that is, [(A)+(B)]/(C) is preferably 99/1 to 40/60, especially preferably from 91/9 to 70/30 in view of improving foamability.

[0021] Combined use of Components (A), (B) and (C) can improve foamability and foam quality, which were so far insufficient in phosphate surfactants, without losing a low irritation property characteristic to the phosphate surfactants. Moreover, the combined use brings about preferable results; for example, it makes the foam creamy and after washing therewith, gives the skin or the like a moist feeling.

[0022] The detergent composition of the present invention may further contain a cationic polymer as Component (D).

[0023] Examples of the cationic polymer as Component (D) include copolymers of a quaternized vinylpyrrolidone and aminoethyl methacrylate, copolymers of adipic acid and dimethylaminohydroxypropylene diethylene triamine, poly (N,N-dimethyl-3,5-methylene piperidinium chloride) (e.g., "Merquat 100", product of NALCO CHEMICAL), copolymers of N,N-dimethyl-3,5-methylene piperidinium chloride and acrylamide (e.g., "Merquat 550", product of NALCO CHEMICAL), copolymers of acrylamide and β -methacryloxyethyltrimethylammonium, quaternized guar gum, polyethyleneimine, cationized cellulose and condensate of polyamine and polyglycol. Of these, cationic polymers having a large molecular weight (not less than 1000000) and a low cationization density (a nitrogen content of not more than 1.5%) are preferred, with cationized cellulose being particularly preferred (e.g., "POIZ-150L", product of Kao Corporation).

[0024] As Component (D), the above-described cationic polymers may be used either singly or as a mixture of at least two of them. From the viewpoints of the foamability, foam quality and feeling upon use, the content thereof is preferably from 0.05 to 0.5 wt.%, especially preferably from 0.1 to 0.3 wt.% based on the detergent composition of the present invention.

[0025] Combined use of Component (D) with Components (A), (B) and (C) brings about further improvements in foamability and foam quality.

[0026] In addition, the proper composition ratio according to the present invention suppresses a rise in viscosity during mixing, which facilitates a mixing work in the course of production.

[0027] In the detergent composition of the present invention, it is possible to incorporate, according to its using purpose, colorants, perfumes, bactericides, antipholistics, chelating agents, foam boosters, thickeners, viscosity modifiers, pearling agents, antiseptics, humectants, pH regulators and another surfactants within an extent not impairing the effects of the present invention.

[0028] The detergent composition of the present invention can be prepared in a conventional manner. There is no particular limitation on its form and it can be provided in any one of the conventionally known forms, for example, liquid shampoo, face wash cream, and body shampoo.

[0029] The preparation process of the detergent composition of the present invention comprises, for example, the following steps:

- 1) preparing a mixture containing the above-described Components (A), (B) and (C), and
- 2) filling a container with the resulting mixture.

[0030] Upon mixing Components (A), (B) and (C), or Components (A), (B), (C) and (D), they may be mixed in any order or at the same time. Since an increase in viscosity occurs during mixing of Component (A), stirring under heating

at 40 to 80°C is preferred.

[0031] Since the detergent composition of the present invention is properly composed, a drastic increase in viscosity during mixing can be avoided and preparation can be effected while suppressing the viscosity to not more than 10000 mPa·s.

Examples

Examples 1 to 14 and Comparative Examples 1 to 8

[0032] Detergent compositions as shown in Tables 1 to 3 were prepared by mixing components at 70°C and adjusting the pH to 7 to 8. The state during preparation, foaming power, foamability, foam quality, feeling after washing and low temperature stability were evaluated as described below. Results are shown in Tables 1 to 3.

(Evaluation Method)

(1) State during preparation

[0033] The state of each detergent composition during preparation was visually evaluated in accordance with the following criteria:

A: The composition was mixed readily.

B: The composition was not mixed owing to an increase in viscosity.

(2) Test on foaming power

[0034] As an artificial dirt, 0.5% of lanolin was added to a 1% aqueous solution (4° hard water) of each detergent composition. The resulting mixture was stirred in a cylinder for 5 minutes at 40°C by a flat propeller at a rotational speed of 1000 rpm. The rotation of the propeller was reversed at every 10 seconds. The foaming power was evaluated by the quantity of foam when the stirring was completed.

(3) Foamability, foam quality and feeling after washing

[0035] A panel of 10 experts was asked to evaluate, in accordance with the below-described evaluation criteria, the quantity of foam, foam quality and feeling after washing when 3 mL of each detergent composition prepared in a conventional manner was applied to their palms and their hands and arms were washed therewith.

(Foamability)

[0036]

A: The quantity of foam is very large.

B: The quantity of foam is large.

C: The quantity of foam is slightly small.

D: The quantity of foam is small.

(Foam quality)

[0037]

A: Good foam quality with fine and very creamy foam.

B: Good foam quality with creamy foam.

C: Foam quality with slightly creamy foam.

C: Foam quality with light and coarse foam.

(Feeling after washing)

[0038]

- 5 A: The skin is sufficiently moist to the touch.
 B: The skin is moist to the touch.
 C: The skin is slightly moist to the touch.
 D: The skin is not moist to the touch.

10 (4) Test on low temperature stability

[0039] Each detergent composition was placed in a glass bottle. After preservation at 5°C for 10 days, the composition was taken out from the bottle and allowed to stand at room temperature (25°C) for 1 hour. The appearance of the detergent composition was visually evaluated in accordance with the following criteria:

- 15 A: The composition is transparent.
 B: The composition becomes slightly turbid.
 C: The composition becomes turbid to some extent.
20 D: Separation occurs owing to precipitation.

25

30

35

40

45

50

55

Table 1

	Component (%)	Examples						
		1	2	3	4	5	6	7
(A)	Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate = 75/25) Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate = 80/20) Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 70/30) Potassium polyoxyethylene (2) lauryl phosphate / Potassium polyoxyethylene (2) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25) Potassium polyoxyethylene (2) myristyl phosphate / Potassium polyoxyethylene (2) dimyristyl phosphate (monomyristyl phosphate / dimyristyl phosphate = 75/25) Potassium polyoxyethylene (1) lauryl phosphate / Potassium polyoxyethylene (1) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25) Potassium polyoxyethylene (3) lauryl phosphate / Potassium polyoxyethylene (3) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 80/20)	16	16	16	16	-	-	16
	Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 100/0) Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 35/65)	-	-	-	-	14	28	-

(B)	Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	4	-	4	4	5	-	7
	Sodium polyoxyethylene lauryl ether sulfate (t = 3 moles)	-	4	-	-	-	-	-
	Triethanolamine polyoxyethylene lauryl ether sulfate (t = 3 moles)	-	-	-	-	-	4	-
	Ammonium lauryl sulfate	-	-	-	-	-	-	-
(C)	Lauryl hydroxy sulfobetaine	5	5	-	-	-	-	-
	Myristyl hydroxy sulfobetaine	-	-	5	-	-	7	-
	Lauramide propyl betaine	-	-	-	4	-	-	-
	Cocamide propyl betaine	-	-	-	-	4	-	-
	N,N-dimethyl lauramide propyl-2-hydroxy sulfobetaine	-	-	-	-	-	-	5
	Purified water	-	-	-	-	-	-	-
State during preparation		Balance	Balance	Balance	Balance	Balance	Balance	Balance
Foaming power (mL)		A	A	A	A	A	A	A
Foamability		215	210	201	215	215	220	220
Foam quality		A	A	A	A	A	A	A
Feeling after washing		A	A	A	B	B	A	B
Low temperature stability		B	A	B	B	B	A	B

Table 2

	Component (%)	Examples						
		8	9	10	11	12	13	14
(A)	Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25) Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 80/20) Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 70/30) Potassium polyoxyethylene (2) lauryl phosphate / Potassium polyoxyethylene (2) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25) Potassium polyoxyethylene (2) myristyl phosphate / Potassium polyoxyethylene (2) dimyristyl phosphate (monomyristyl phosphate / dimyristyl phosphate = 75/25) Potassium polyoxyethylene (1) lauryl phosphate / Potassium polyoxyethylene (1) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25) Potassium polyoxyethylene (3) lauryl phosphate / Potassium polyoxyethylene (3) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 80/20)	14	-	-	-	-	-	16
	Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 100/0) Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 35:65)	-	-	-	-	-	-	-

(B)	Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	-	4	4	4	4	5	-
	Sodium polyoxyethylene lauryl ether sulfate (t = 3 moles)	-	-	-	-	-	-	-
	Triethanolamine polyoxyethylene lauryl ether sulfate (t = 3 moles)	4	-	-	-	-	-	-
	Ammonium lauryl sulfate	-	-	-	-	-	-	4
(C)	Lauryl hydroxy sulfobetaine	2.5	5	5	5	5	-	5
	Myristyl hydroxy sulfobetaine	-	-	-	-	-	-	-
	Lauramide propyl betaine	2.5	-	-	-	-	-	-
	Cocamide propyl betaine	-	-	-	-	-	-	-
	N,N-dimethyl lauramide propyl-2-hydroxy sulfobetaine	-	-	-	-	-	5	-
Purified water		Balance	Balance	Balance	Balance	Balance	Balance	Balance
State during preparation		A	A	A	A	A	A	A
Foaming power (mL)		205	215	220	204	211	220	220
Foamability		A	A	A	A	A	A	A
Foam quality		A	A	A	A	A	A	A
Feeling after washing		A	A	A	A	A	A	A
Low temperature stability		B	A	A	A	B	B	B

Table 3

	Component (%)	Comparative Examples							
		1	2	3	4	5	6	7	8
(A)	Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate = 75/25)	16	16	16	-	16	-	-	-
	Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate = 80/20)	-	-	-	-	-	-	-	-
	Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 70/30)	-	-	-	-	-	-	-	-
	Potassium polyoxyethylene (2) lauryl phosphate / Potassium polyoxyethylene (2) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	-	-	-	-	-	-	-	16
	Potassium polyoxyethylene (2) myristyl phosphate / Potassium polyoxyethylene (2) dimyristyl phosphate (monomyristyl phosphate / dimyristyl phosphate = 75/25)	-	-	-	-	-	-	-	-
	Potassium polyoxyethylene (1) lauryl phosphate / Potassium polyoxyethylene (1) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	-	-	-	-	-	-	16	-
	Potassium polyoxyethylene (3) lauryl phosphate / Potassium polyoxyethylene (3) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 80/20)	-	-	-	-	-	-	-	-
	Triethanolamine lauryl phosphate / triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 100/0)	-	-	-	-	-	28	-	-
	Potassium lauryl phosphate / Potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 35/65)	-	-	-	16	-	-	-	-

(B)	Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	-	-	4	-	-	-	-	-	-
	Sodium polyoxyethylene lauryl ether sulfate (t = 3 moles)	-	-	-	4	-	-	-	-	-
	Triethanolamine polyoxyethylene lauryl ether sulfate (t = 3 moles)	-	-	-	-	-	4	-	-	-
	Ammonium lauryl sulfate	-	-	-	-	-	-	-	-	-
(C)	Lauryl hydroxy sulfobetaine	5	-	-	5	-	-	5	5	-
	Myristyl hydroxy sulfobetaine	-	-	-	-	-	7	-	-	-
	Lauramide propyl betaine	-	4	-	-	-	-	-	-	5
	Cocamide propyl betaine	-	-	-	-	-	-	-	-	-
	N,N-dimethyl lauramide propyl-2-hydroxy sulfobetaine	-	-	-	-	-	-	5	-	-
Purified water		Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance
State during preparation		A	A	A	A	A	A	B	A	A
Foaming power (mL)		150	165	110	85	161	-	-	140	135
Foamability		B	B	C	D	B	-	-	B	B
Foam quality		D	D	B	D	C	-	-	D	D
Feeling after washing		D	D	B	A	C	-	-	D	D
Low temperature stability		B	B	B	C	B	-	-	B	B

Example 15 (Body shampoo)

[0040] The body shampoo was prepared in accordance with the following formulation.

	(parts by weight)
Potassium lauryl phosphate/potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	15
Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	5
Propylene glycol	5
Cationized cellulose ("Poiz C-150L", product of Kao Corporation)	0.3
Lauryl hydroxy sulfobetaine	5
Ethylene glycol distearate	2
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

Example 16 (Body shampoo)

[0041] The body shampoo was prepared in accordance with the following formulation.

	(parts by weight)
Potassium lauryl phosphate/potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	18
Sodium polyoxyethylene lauryl ether sulfate (t = 3 moles)	5
Dipropylene glycol	2
Potassium polyoxyethylene alkyl ether acetate	2
Glycerin	3
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer ^{a)}	0.2
Cocamide propyl betaine	8
Ethylene glycol distearate	2
Salicylic acid	0.2
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

[0042] The body shampoos obtained in Examples 15 and 16 were excellent in foamability and foam quality and at the same time, gave a good feel after use.

Example 17 (Face wash)

[0043] A face wash was prepared according to the following formulation.

	(parts by weight)
Potassium lauryl phosphate/potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	19
Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	5
Dipropylene glycol	1.5

(continued)

	(parts by weight)
Propylene glycol	5
Sorbitol	5
Potassium polyoxyethylene alkyl ether acetate (alkyl group: C ₁₂ /C ₁₄ = 75/25, EO:10)	1.8
Polyoxyethylene sorbitan triisostearate (EO=160)	2
Cationized cellulose ("Poiz C-150L", product of Kao Corporation)	0.3
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer ^{a)}	0.5
Lauryl hydroxy sulfobetaine	3
Lauramide propyl betaine	2
Ethylene glycol distearate	2
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

Example 18 (Face wash)

[0044] A face wash was prepared in accordance with the following formulation.

	(parts by weight)
Triethanolamine lauryl phosphate/triethanolamine dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	19
Triethanolamine polyoxyethylene lauryl ether sulfate (t = 3 moles)	2.5
Triethanolamine myristate	2.5
Glycerin	16
Polyoxyethylene sorbitan triisostearate (EO=160)	2
Cationized cellulose ("Poiz C-150L", product of Kao Corporation)	0.5
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer ^{a)}	0.5
Lauramide propyl betaine	4
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

[0045] The face washes prepared in Examples 17 and 18 were excellent in foamability and foam quality, and at the same time gave a good feel after use.

Example 19 (Body Shampoo)

[0046] The body shampoo was prepared in accordance with the following formulation.

	(parts by weight)
Potassium polyoxyethylene (2) lauryl phosphate/potassium polyoxyethylene (2) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	15
Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	5

(continued)

	(parts by weight)
Propylene glycol	5
Cationized cellulose ("Poiz C-150L", product of Kao Corporation)	0.3
Lauryl hydroxy sulfobetaine	5
Ethylene glycol distearate	2
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

[0047] The body shampoo obtained in Example 19 was excellent in foamability and foam quality and at the same time, gave a good feel after use.

Example 20 (Face wash)

[0048] A face wash was prepared in accordance with the following formulation.

	(parts by weight)
Potassium polyoxyethylene (2) lauryl phosphate/potassium polyoxyethylene (2) dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	19
Sodium polyoxyethylene lauryl ether sulfate (t = 2 moles)	5
Dipropylene glycol	1.5
Propylene glycol	5
Sorbitol	5
Potassium polyoxyethylene alkyl ether acetate (alkyl group: C ₁₂ /C ₁₄ = 75/25, EO: 10)	1.8
Polyoxyethylene sorbitan triisostearate (EO=160)	2
Cationized cellulose ("Poiz C-150L", product of Kao Corporation)	0.3
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer a)	0.5
Lauryl hydroxy sulfobetaine	3
Lauramide propyl betaine	2
Ethylene glycol distearate	2
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

[0049] The body wash obtained in Example 20 was excellent in foamability and foam quality and at the same time, gave a good feel after use.

Example 21 (Body shampoo)

[0050] The body shampoo was prepared in accordance with the following formulation.

	(parts by weight)
Potassium lauryl phosphate/potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	15
Triethanolamine lauryl sulfate	10
Lauryl hydroxy sulfobetaine solution ["Amphitol 20HD" (effective ingredient: 30 wt.%); product of Kao Corporation]	3
Cationized cellulose ["Poiz C-150L", product of Kao Corporation]	0.2
Decyl polyglycoside solution ["Mydol 10" (effective ingredient: 40 wt.%); product of Kao Corporation]	5
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer ^{a)}	0.2
Ethylene glycol distearate	2
Dipropylene glycol	2
Methylparaben	0.2
Propylparaben	0.1
BHT	0.1
Perfume	0.05
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

[0051] The body shampoo obtained in Example 21 was excellent in foamability and foam quality and at the same time, gave a good feel after use.

Example 22 (Face wash)

[0052] A face wash was prepared in accordance with the following formulation.

	(parts byweight)
Potassium lauryl phosphate/potassium dilauryl phosphate (monolauryl phosphate / dilauryl phosphate = 75/25)	15
Triethanolamine lauryl sulfate	6
Dipropylene glycol	2
Lauryl hydroxy sulfobetaine solution ["Amphitol 20HD" (effective ingredient: 30 wt.%); product of Kao Corporation]	2
Cationized cellulose ["Poiz C-150L", product of Kao Corporation]	0.2
Lauramide propyl betaine solution ["Amphitol 20AB" (effective ingredient: 30 wt.%); product of Kao Corporation]	5
Polyoxyethylene sorbitan triisostearate (EO=160)	2
Acrylates / C ₁₀₋₃₀ Alkyl Acrylate Crosspolymer ^{a)}	0.2
Ethylene glycol distearate	1
Methylparaben	0.2
Propylparaben	0.1
BHT	0.2
Perfume	0.05
Purified water	Balance
Total	100.0

a) "Carbopol ETD2020"; product of BFGoodrich

[0053] The face wash prepared in Example 22 was excellent in foamability and foam quality, and at the same time gave a good feel after use.

Industrial Applicability

[0054] The detergent compositions of the present invention have less irritation to the skin or the like, are excellent in foamability, foam quality and low temperature stability, and after washing therewith, give the skin or the like a moist feeling, and permit easy mixing during preparation.



Claims

1. A detergent composition comprising the following components (A), (B) and (C):

(A) a phosphate surfactant containing, as a mixture,

(a₁) a phosphate monoester represented by the below-described formula (1), and

(a₂) a phosphate diester represented by the below-described formula (2):




(wherein, R¹, R² and R³ each represents a linear or branched C₈₋₁₈ alkyl or alkenyl group, X¹, X² and Y each represents a hydrogen atom, an alkali metal atom, an alkaline earth metal atom, an alkanolamine or ammonium, and average molar numbers k, m and n each stands for a number of from 0 to 10) at a (a₁)/(a₂) weight ratio of 85/15 to 50/50,


(B) a polyoxyethylene alkyl ether sulfate or alkyl sulfate represented by the following formula (3):



(wherein, R⁴ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group, an average molar number t stands for a number of from 0 to 5 and M represents an alkali metal atom, alkanolamine or ammonium), and
(C) one or more compounds selected from sulfobetaines represented by the following formula (4):



(wherein, R⁵ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group, R⁶ represents a hydrogen atom or a C₁₋₄ alkyl group, R⁷ and R⁸ each represents a C₁₋₄ alkyl group, p stands for a number of from 0 to 1, q stands for a number of from 0 to 6, and Z represents a hydrogen atom or a hydroxyl group) and alkylamide propyl betaines represented by the following formula (5):



(wherein, R⁹ represents a saturated or unsaturated C₈₋₁₈ hydrocarbon group).

2. A detergent composition of Claim 1, wherein the weight ratio of Component (A) to Component (B), (A)/(B), ranges from 95/5 to 50/5.
3. A detergent composition of Claim 1 or 2, wherein the weight ratio of the sum of Components (A) and (B) to Component (C), [(A) + (B)]/(C), ranges from 99/1 to 40/60.
4. A detergent composition of any one of Claims 1 to 3, wherein the content of Component (A) ranges from 5 to 40 wt. %.
5. A detergent composition of any one of Claims 1 to 4, wherein the content of Component (B) ranges from 1 to 40 wt. %.
6. A detergent composition of any one of Claims 1 to 5, wherein the content of Component (C) ranges from 0.1 to 20 wt. %.
7. A detergent composition of any one of Claims 1 to 3, wherein the contents of Components (A), (B) and (C) range from 5 to 40 wt. %, 1 to 40 wt. % and 0.1 to 20 wt. %, respectively.
8. A detergent composition of any one of Claims 1 to 7, further comprising a cationized polymer as Component (D).
9. A detergent composition of Claim 8, wherein the content of Component (D) ranges from 0.05 to 0.5 wt. %.
10. A process for preparation of a detergent composition as claimed in any one of Claims 1 to 9, which comprises mixing Components (A), (B) and (C), or Components (A), (B), (C) and (D), and stirring the resulting mixture under heating at 40 to 80°C.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 00 7353

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	US 4 321 256 A (HASEGAWA TATSURU ET AL) 23 March 1982 (1982-03-23) * column 6, line 5 - column 7, line 3; example 1 * * column 3, line 32 - column 4, line 11 *	1-10	A61K7/50 C11D1/94 C11D3/37 C11D3/22
Y	EP 0 442 701 A (UNILEVER PLC ;UNILEVER NV (NL)) 21 August 1991 (1991-08-21) * page 1, line 34 - line 42; claim 5 * * page 5, line 16 - line 18; examples 6,8,10; table 2 * * page 10, line 11,12 *	1,3,5,6,8,9	
Y	US 5 334 387 A (HAUGK PETER D) 2 August 1994 (1994-08-02) * examples 7,8,11 *	2,4,7,10	
A	US 4 381 259 A (HOMMA ITOMI ET AL) 26 April 1983 (1983-04-26) * column 1, line 38 - column 4, line 61; examples 1-3 *	1-10	
A	US 4 139 485 A (IMOKAWA GENJI ET AL) 13 February 1979 (1979-02-13) * column 1, line 10 - column 2, line 64; example 4 *	1-10	TECHNICAL FIELDS SEARCHED (Int.Cl.7) A61K C11D
A	US 4 758 376 A (HIROTA HAJIME ET AL) 19 July 1988 (1988-07-19) * column 2, line 16 - column 3, line 23; claims; examples *	1-7	
A	US 4 259 204 A (HOMMA ITOMI) 31 March 1981 (1981-03-31) * claims; examples 1-3 *	1-7	
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 16 July 2003	Examiner Loloiu, C
CATEGORY OF CITED DOCUMENTS X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document		T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding document	

EPO FORM 1503 03 82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 00 7353

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-07-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4321256	A	23-03-1982	AT 2716 T	15-03-1983
			CA 1140467 A1	01-02-1983
			DE 3062279 D1	14-04-1983
			EP 0024799 A1	11-03-1981
			JP 56018698 A	21-02-1981
			JP 59044358 B	29-10-1984
EP 0442701	A	21-08-1991	AT 137111 T	15-05-1996
			AU 631721 B2	03-12-1992
			AU 7086791 A	15-08-1991
			BR 9100584 A	29-10-1991
			CA 2035984 A1	14-08-1991
			DE 69118944 D1	30-05-1996
			DE 69118944 T2	19-09-1996
			EP 0442701 A2	21-08-1991
			IN 172847 A1	11-12-1993
			JP 4211009 A	03-08-1992
			KR 9614786 B1	19-10-1996
			US 5139781 A	18-08-1992
			ZA 9101067 A	28-10-1992
US 5334387	A	02-08-1994	AT 158171 T	15-10-1997
			BR 9400634 A	01-11-1994
			DE 69405604 D1	23-10-1997
			DE 69405604 T2	23-04-1998
			EP 0612518 A1	31-08-1994
			MX 9401187 A1	31-08-1994
			PH 30173 A	21-01-1997
US 4381259	A	26-04-1983	JP 56095994 A	03-08-1981
US 4139485	A	13-02-1979	JP 1330986 C	14-08-1986
			JP 53026806 A	13-03-1978
			JP 57047959 B	13-10-1982
			BE 851806 A1	16-06-1977
			DE 2708746 A1	02-03-1978
			ES 456378 A1	16-05-1978
			FR 2362921 A1	24-03-1978
			GB 1578641 A	05-11-1980
			IT 1084911 B	28-05-1985
US 4758376	A	19-07-1988	JP 1715840 C	27-11-1992
			JP 2025400 B	01-06-1990
			JP 62127399 A	09-06-1987
			JP 1815959 C	18-01-1994
			JP 5029203 B	28-04-1993

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 00 7353

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-07-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4758376 A		JP 62132811 A	16-06-1987
		JP 1688767 C	11-08-1992
		JP 3057159 B	30-08-1991
		JP 62138593 A	22-06-1987
		JP 1673215 C	12-06-1992
		JP 2046639 B	16-10-1990
		JP 62138594 A	22-06-1987
		AT 68520 T	15-11-1991
		DE 3682035 D1	21-11-1991
		EP 0224796 A2	10-06-1987
		ES 2026844 T3	16-05-1992
		HK 41893 A	07-05-1993
		SG 14393 G	16-04-1993
		PH 22423 A	12-09-1988
US 4259204 A	31-03-1981	JP 1259993 C	12-04-1985
		JP 55012168 A	28-01-1980
		JP 58046160 B	14-10-1983
		AT 369262 B	27-12-1982
		AT 488579 A	15-05-1982
		CH 641669 A5	15-03-1984
		DE 2927278 A1	24-01-1980
		ES 482485 A1	01-07-1980
		FR 2430764 A1	08-02-1980
		GB 2027047 A ,B	13-02-1980
		MX 149698 A	13-12-1983
		PH 15441 A	18-01-1983

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82